


**Listing of Claims:**

\*C1(C)CC(O)C(=O)N1\*

I

A stands for the group



(the dashed line means the interface site), in which

$R^4$  to  $R^8$  are the same or different from one another and mean

a hydrogen atom, a halogen atom, a cyano group, a nitro group, a  $\text{COOR}^9$  group

whereby  $R^9$  stands for a hydrogen atom, a straight-chain

or branched  $\text{C}_1\text{-C}_5$  alkyl group or a benzyl group,

a  $\text{CONR}^{10}$  group,

whereby  $R^{10}$  stands for a hydrogen atom or a straight-chain or branched  $\text{C}_1\text{-C}_5$  alkyl group,

an  $\text{NHR}^{11}$  group,

whereby  $R^{11}$  stands for a hydrogen atom, a straight-chain or branched  $\text{C}_1\text{-C}_5$  alkyl group, a straight-chain or branched,

partially or completely fluorinated  $\text{C}_1\text{-C}_5$  alkyl group, a  $\text{C}_1\text{-C}_5$  acyl group, an  $-\text{SO}_2\text{-(C}_1\text{-C}_5\text{)}$  alkyl group or an  $-\text{SO}_2\text{-phenyl}$  group that is optionally substituted by halogen or a  $\text{C}_1\text{-C}_5$  alkyl group,

a straight-chain or branched  $\text{C}_1\text{-C}_5$  alkyl group, a

straight-chain or branched  $\text{C}_2\text{-C}_5$  alkenyl group, a straight-chain or branched  $\text{C}_2\text{-C}_5$  alkynyl group, a straight-chain or branched  $\text{C}_1\text{-C}_5$  alkyl group that is partially or completely substituted by fluorine atoms, a  $\text{C}_1\text{-C}_5$  acyl group, an aryl radical or a heteroaryl radical,


or

$R^4$  and  $R^5$  together with the two carbon atoms of ring A mean


a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

Ar stands for a ring system, selected from the group of

general partial formula 1 or 2,



1



2

in which

radicals  $X^{3a}$ ,  $X^{3b}$ ,  $X^4$ ,  $X^6$ ,  $X^7$  (in partial formula 1) and  $Y^4$ ,

$Y^5$ ,  $Y^7$ , and  $Y^8$  (in partial formula 2) are the same or different and mean a

hydrogen atom, a straight-chain or branched  $C_1$ - $C_5$  alkyl group, or a

straight-chain or branched, partially or completely fluorinated  $C_1$ - $C_5$  alkyl

group,

radicals  $X^4$ ,  $X^6$ ,  $X^7$  (in partial formula 1) or  $Y^5$ ,  $Y^7$ ,  $Y^8$  (in partial formula 2) in

addition are the same or different and mean a hydrogen atom, a halogen

atom, a hydroxy group, a  $C_1$ - $C_5$  alkoxy group or a  $C_1$ - $C_5$  alkanoyloxy

group,

as well as their racemates or separately present stereoisomers.

2. (Previously Presented) A compound wherein said compound is selected from the following:

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

C1 (-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

C1 6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

C' (+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

C1 (-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one



(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

C1 6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

C<sup>1</sup> 6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

C1 (+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

C 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one



(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

C1 (+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-  
trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

C1

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

C1 6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-  
amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-  
amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

C1 (+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

3. (Previously Presented) A compound according to claim 2, wherein said compound is a 2,3- Benzoxazin-1-one.

4. (Previously Presented) A method for preparing a pharmaceutical composition comprising formulating a compound according to claim 2 with vehicles, fillers, substances that influence decomposition, binding agents, humectants, lubricants, absorbents, diluents, flavoring correctives, or staining agents.

C1

$$\begin{array}{c} R^1 \quad R^2 \\ | \quad | \\ A - C - CH_2 - C(OH)(R^3) - C(=O)NH-Ar \end{array}$$

I

$$\begin{array}{c} \text{R}^1 \quad \text{R}^2 \\ \diagdown \quad \diagup \\ \text{C} \\ \diagup \quad \diagdown \\ \text{A} \quad \text{CH}_2 \quad \text{C}(=\text{O}) \quad \text{COOH} \end{array}$$


in which A, R<sup>1</sup> and R<sup>2</sup> have the meanings that are indicated in formula I, is either optionally esterified with a compound of general formula

wherein



R<sup>1</sup> and R<sup>2</sup> are the same or different and stand for a hydrogen atom, a C<sub>1</sub>-C<sub>5</sub> alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

A stands for the group



(the dashed line means the interface site), in which

R<sup>4</sup> to R<sup>8</sup> are the same or different from one another and mean a hydrogen atom, a halogen atom, a cyano group, a nitro group, a COOR<sup>9</sup> group whereby R<sup>9</sup> stands for a hydrogen atom, a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group or a benzyl group, a CONR<sup>10</sup> group,

whereby R<sup>10</sup> stands for a hydrogen atom or a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group,

an NHR<sup>11</sup> group,

whereby R<sup>11</sup> stands for a hydrogen atom, a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group, a straight-chain or branched, partially or completely fluorinated C<sub>1</sub>-C<sub>5</sub> alkyl group, a C<sub>1</sub>-C<sub>5</sub> acyl group, an -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>5</sub>) alkyl group or an -SO<sub>2</sub>-phenyl group that is optionally substituted by halogen or a C<sub>1</sub>-C<sub>5</sub> alkyl group,

a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group, a straight-chain or branched C<sub>2</sub>-C<sub>5</sub> alkenyl group, a straight-chain or branched C<sub>2</sub>-C<sub>5</sub> alkynyl group, a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group that is partially or completely substituted by fluorine atoms, a C<sub>1</sub>-C<sub>5</sub> acyl group, an aryl radical or a heteroaryl radical, or

R<sup>4</sup> and R<sup>5</sup> together with the two carbon atoms of ring A mean a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

with a compound of formula III




in which R<sup>3</sup> has the meaning that is indicated in general formula I,  
wherein

R<sup>3</sup> stands for a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group or a straight-chain or branched, partially or completely fluorinated C<sub>1</sub>-C<sub>5</sub> alkyl group,  
and

R<sup>12</sup> means a C<sub>1</sub>-C<sub>5</sub> alkyl group,  
in the presence of a catalyst, such as, e.g., fluoride salts or basic compounds such as alkali carbonates, or

said α-ketocarboxylic acid of formula II is reacted with an alkyl metal compound, for example a Grignard reagent or a lithium alkyl, to form a compound of formula IV




(IV);

optionally the ester, if present, is cleaved again and then is reacted with a compound of general formula V



whereby wherein  $\text{R}^{13}$  means a hydrogen atom of a  $\text{C}_1\text{-C}_5$  acyl group, and Ar stands for a  
ring system, selected from partial formula 1 and 2,



in which


radicals  $\text{X}^{3a}$ ,  $\text{X}^{3b}$ ,  $\text{X}^4$ ,  $\text{X}^6$ ,  $\text{X}^7$  (in partial formula 1) and  $\text{Y}^4$ ,  $\text{Y}^5$ ,  $\text{Y}^7$ , and  $\text{Y}^8$  (in  
partial formula 2) are the same or different and mean a hydrogen atom, a  
straight-chain or branched  $\text{C}_1\text{-C}_5$  alkyl group, or a straight-chain or  
branched, partially or completely fluorinated  $\text{C}_1\text{-C}_5$  alkyl group,  
radicals  $\text{X}^4$ ,  $\text{X}^6$ ,  $\text{X}^7$  (in partial formula 1) or  $\text{Y}^5$ ,  $\text{Y}^7$ ,  $\text{Y}^8$  (in partial formula 2) in  
addition are the same or different and mean a hydrogen atom, a halogen  
atom, a hydroxy group, a  $\text{C}_1\text{-C}_5$  alkoxy group or a  $\text{C}_1\text{-C}_5$  alkanoyloxy  
group,

~~has the meaning that is indicated in general formula I,~~  
whereby the radical  $\text{R}^{13}$  is cleaved off, or

is reacted directly with a compound of ~~general~~ formula




whereby ~~R<sup>13</sup> means a hydrogen atom of a C<sub>4</sub>-C<sub>5</sub> acyl group, and Ar has the meaning that is indicated in general formula I, optionally after activation of the acid function by, e.g., conversion into the acid chloride, whereby the radical R<sup>13</sup> is cleaved off in any sequence and is reacted with a compound of ~~general~~ formula III~~



*C1* ~~in which R<sup>3</sup> and R<sup>12</sup> have the above indicated meanings, in the presence of a catalyst, such as, e.g., fluoride salts or basic compounds such as alkali carbonates, or is reacted with an alkyl metal compound, for example a Grignard reagent or a lithium alkyl.~~

9. (Presently Amended) A method for treating an inflammatory, allergic or proliferative process in a patient comprising administering to said patient a therapeutically effective amount of a compound of formula I




I

in which

R<sup>1</sup> and R<sup>2</sup> are the same or different and stand for a hydrogen atom, a C<sub>1</sub>-C<sub>5</sub> alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

R<sup>3</sup> stands for a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group or a straight-chain or branched, partially or completely fluorinated C<sub>1</sub>-C<sub>5</sub> alkyl group.

A stands for the group



(the dashed line means the interface site), in which

R<sup>4</sup> to R<sup>8</sup> are the same or different from one another and mean a hydrogen atom, a

halogen atom, a cyano group, a nitro group, a COOR<sup>9</sup> group

whereby R<sup>9</sup> stands for a hydrogen atom, a straight-chain

or branched C<sub>1</sub>-C<sub>5</sub> alkyl group or a benzyl group,

a CONR<sup>10</sup> group,

whereby R<sup>10</sup> stands for a hydrogen atom or a straight-chain or

branched C<sub>1</sub>-C<sub>5</sub> alkyl group,

an NHR<sup>11</sup> group,

whereby R<sup>11</sup> stands for a hydrogen atom, a straight-chain or

branched C<sub>1</sub>-C<sub>5</sub> alkyl group, a straight-chain or branched, partially

or completely fluorinated C<sub>1</sub>-C<sub>5</sub> alkyl group, a C<sub>1</sub>-C<sub>5</sub> acyl group,

an -SO<sub>2</sub>-(C<sub>1</sub>-C<sub>5</sub>) alkyl group or an -SO<sub>2</sub>-phenyl group that is

optionally substituted by halogen or a C<sub>1</sub>-C<sub>5</sub> alkyl group,


a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group, a straight-chain or

branched C<sub>2</sub>-C<sub>5</sub> alkenyl group, a straight-chain or branched C<sub>2</sub>-C<sub>5</sub>

alkynyl group, a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group that is partially or completely substituted by fluorine atoms, a C<sub>1</sub>-C<sub>5</sub> acyl group, an aryl radical or a heteroaryl radical, or

R<sup>4</sup> and R<sup>5</sup> together with the two carbon atoms of ring A mean a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

Ar stands for a ring system, selected from the group of general partial formula 1 or 2,



in which

radicals X<sup>3a</sup>, X<sup>3b</sup>, X<sup>4</sup>, X<sup>6</sup>, X<sup>7</sup> (in partial formula 1) and Y<sup>4</sup>, Y<sup>5</sup>, Y<sup>7</sup>, and Y<sup>8</sup> (in partial formula 2) are the same or different and mean a hydrogen atom, a straight-chain or branched C<sub>1</sub>-C<sub>5</sub> alkyl group, or a straight-chain or branched, partially or completely fluorinated C<sub>1</sub>-C<sub>5</sub> alkyl group,

radicals X<sup>4</sup>, X<sup>6</sup>, X<sup>7</sup> (in partial formula 1) or Y<sup>5</sup>, Y<sup>7</sup>, Y<sup>8</sup> (in partial formula 2) in addition are the same or different and mean a hydrogen atom, a halogen atom, a hydroxy group, a C<sub>1</sub>-C<sub>5</sub> alkoxy group or a C<sub>1</sub>-C<sub>5</sub> alkanoyloxy group.

as well as their racemates or separately present stereoisomers, and

wherein said process is a lung disease, rheumatic disease, auto-immune disease, degenerative joint disease, allergy, vascular disease, dermatological disease, nephropathy, liver disease, gastrointestinal disease, proctological disease, eye disease, disease of the ear-nose-throat, neurological disease, blood disease, tumor disease, endocrine disease, transplant, severe shock condition, vomiting, substitution therapy with suprarenal insufficiency, or pain with inflammatory origins.

10. A method according to claim 1, wherein said compound is

C1  
6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one



(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-  
methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-  
4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-  
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-  
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one



(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide



(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

11. A method according to claim 9, wherein said compound is

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one



6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-  
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-  
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-  
amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-  
trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethyl-  
propionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one



(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

12. (New) A method according to claim 1, wherein Ar is of partial formula 2, and Y<sup>4</sup> is methyl.

13. (New) A method according to claim 1, wherein Ar is of partial formula 2, Y<sup>4</sup> is methyl, and Y<sup>5</sup>, Y<sup>7</sup> and Y<sup>8</sup> are each hydrogen.

14. (New) A method according to claim 1, wherein said compound is a 2,3-benzoxazin-1-one.

15. (New) A method according to claim 1, wherein said compound is a 4-methyl-2,3-Benzoxazin-1-one.

16. (New) A method according to claim 1, wherein R<sup>4</sup> is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.

17. (New) A method according to claim 1, wherein R<sup>5</sup> is H, fluoro, chloro, methoxy, hydroxy, or methyl.

18. (New) A method according to claim 1, wherein R<sup>5</sup> is H.

19. (New) A method according to claim 17, wherein R<sup>5</sup> is H.

20. (New) A method according to claim 1, wherein R<sup>6</sup> is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.

21. (New) A method according to claim 1, wherein R<sup>6</sup> is H.

22. (New) A method according to claim 17, wherein R<sup>6</sup> is H.

23. (New) A method according to claim 1, wherein R<sup>7</sup> is H, fluoro, or chloro.

24. (New) A method according to claim 1, wherein R<sup>7</sup> is H.

25. (New) A method according to claim 17, wherein  $R^7$  is H.
26. (New) A method according to claim 1, wherein  $R^7$  is F.
27. (New) A method according to claim 17, wherein  $R^7$  is F.
28. (New) A method according to claim 1, wherein  $R^8$  is H or fluoro.
29. (New) A method according to claim 1, wherein  $R^8$  is H.
30. (New) A method according to claim 17, wherein  $R^8$  is H.
31. (New) A method according to claim 1, wherein  $R^6$ ,  $R^7$ , and  $R^8$  are each H.
32. (New) A method according to claim 1, wherein said compound is administered in an amount of  $1\mu\text{g}$  to  $100,000\mu\text{g}$  per kg of body weight.
33. (New) A method according to claim 1, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.
34. (New) A method according to claim 9, wherein Ar is of partial formula 2, and  $Y^4$  is methyl.
35. (New) A method according to claim 9, wherein Ar is of partial formula 2,  $Y^4$  is methyl, and  $Y^5$ ,  $Y^7$  and  $Y^8$  are each hydrogen.
36. (New) A method according to claim 9, wherein said compound is a 2,3-Benzoxazin-1-one.
37. (New) A method according to claim 9, wherein said compound is a 4-methyl-2,3-Benzoxazin-1-one.



38. (New) A method according to claim 9, wherein  $R^4$  is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.

39. (New) A method according to claim 9, wherein  $R^5$  is H, fluoro, chloro, methoxy, hydroxy, or methyl.

40. (New) A method according to claim 9, wherein  $R^5$  is H.

41. (New) A method according to claim 39, wherein  $R^5$  is H.

42. (New) A method according to claim 9, wherein  $R^6$  is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.

43. (New) A method according to claim 9, wherein  $R^6$  is H.

44. (New) A method according to claim 39, wherein  $R^6$  is H.

45. (New) A method according to claim 9, wherein  $R^7$  is H, fluoro, or chloro.

46. (New) A method according to claim 9, wherein  $R^7$  is H.

47. (New) A method according to claim 39, wherein  $R^7$  is H.

48. (New) A method according to claim 9, wherein  $R^7$  is F.

49. (New) A method according to claim 39, wherein  $R^7$  is F.

50. (New) A method according to claim 9 wherein  $R^8$  is H or fluoro.

51. (New) A method according to claim 9, wherein  $R^8$  is H.
52. (New) A method according to claim 39, wherein  $R^8$  is H.
53. (New) A method according to claim 9, wherein  $R^6$ ,  $R^7$ , and  $R^8$  are each H.
54. (New) A method according to claim 9, wherein said compound is administered in an amount of  $1\mu\text{g}$  to  $100,000\mu\text{g}$  per kg of body weight.
55. (New) A method according to claim 9, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.